4)

ETL-0505

AD-A200 157

THE FILE COPY

A Bibliography on the Chemical Weathering of Granitic Rocks

Judy Ehlen U.S. Army Corps of Engineers Engineer Topographic Laboratories Fort Belvoir, Virginia 22060-5546


A.J.W. Gerrard School of Geography University of Birmingham Birmingham, England B15 2TT

September 1988



APPROVED FOR PUBLIC RELEASE; DISTRIBUTION IS UNLIMITED.

88 1011 27 S








Destroy this report when no longer needed. Do not return it to the originator.

The findings in this report are not to be construed as an official Department of the Army position unless so designated by other authorized documents.

The citation in this report of trade names of commercially available products does not constitute official endorsement or approval of the use of such products.



REPORT DOCUMENTATION PAGE					Form Approved OMB No. 0704-0188			
1a REPORT SECURITY CLASSIFICATION				16 RESTRICTIVE MARKINGS				
UNCLASSIFIED 2a. SECURITY CLASSIFICATION AUTHORITY				3 DISTRIBUTION / AVAILABILITY OF REPORT				
26. SECURITY	CLM33IFICATIO	4 AUTHORITY						
2b. DECLASSII	FICATION / DOW	NGRADING SCHEDU	LE	Approved for Public Release; Distribution is Unlimited.				
4. PERFORMIN	NG ORGANIZATI	ON REPORT NUMBE	R(S)	5 MONITORING ORGANIZATION REPORT NUMBER(S)				
ETL-050)5							
6a. NAME OF	PERFORMING (6b. OFFICE SYMBOL	7a. NAME OF MONITORING ORGANIZATION				
U.S. Army Engineer Topographic			(If applicable)	1				
Labora 6c. ADDRESS	(City, State, and	i ZIP Code)	CEETL-RI-S	7b. ADDRESS (City, State, and ZIP Code)				
	tarily states and				ay, didity dile air t	,		
Fort Belv	voir, Virgini	a 22060-5546						
	FUNDING / SPO	NSORING	86. OFFICE SYMBOL	9 PROCUREMEN	IT INSTRUMENT IDE	NTIFICA	TION NUMBER	
ORGANIZA	ATION		(If applicable)	1				
8c. ADDRESS ((City, State, and	ZIP Code)	L	10. SOURCE OF	FUNDING NUMBER	5		
	•			PROGRAM ELEMENT NO.	PROJECT NO.	TAŞK NO.	WORK UNIT ACCESSION NO.	
				ELEIVIEINI NO.	A 161102B520		010	
11 TITLE (Inci	lude Security Cl	assification)		<u> </u>	VA 101102B320		010	
ŀ				Dest				
A Biblio		ne Chemical Wea	athering of Granitic	Rocks				
		L, and A. J. W.	Gerrard, Geograph	y Department,	University of	Birmin	gham, England	
13a. TYPE OF Bibliogra	REPORT	13b. TIME CO			ORT (Year, Month, I			
	NTARY NOTAT	ION						
ľ								
17.	COSATI	ODES	18. SUBJECT TERMS (Continue on rever	se if necessary and	identify	by block number)	
FIELD	GROUP	SUB-GROUP	1		•	-	_	
	ļ		geology	weathering, granitic rocks, geomorphology, soils,				
19. ABSTRACT	(Continue on i	reverse if necessary	and identify by block n	umber)				
			. , .,	-				
This his	liography lic	te many of the	papers in the intern	ational nublish	ed geological	enmor	nhological	
and soils	literature th	nat discuss the c	hemical weathering	of rocks often	n considered in	on-solu	ıble."	
Emphasi	s is placed o	n granitic rocks	· Pro the st					
İ					•		·•	
20 DISTRIBUTION / AVAILABILITY OF ABSTRACT			21. ABSTRACT SECURITY CLASSIFICATION					
UNCLASSIFIED/UNLIMITED SAME AS RPT DTIC USERS 22a. NAME OF RESPONSIBLE INDIVIDUAL			UNCLASSIFIED 22b TELEPHONE (Include Area Code) 22c OFFICE SYMBOL					
F James Books			(202) 355-2774 CEETL-IM-T					
004	10 1111 65							

PREFACE

Part of this bibliography was compiled under DA Project 4A161102B52C, Task OC, Work Unit 010, "Indicators of Terrain Conditions."

The bibliography was prepared during the period October 1984 - May 1988 partly under the supervision of Dr. J. N. Rinker, Team Leader, Center for Remote Sensing; and Mr. Lawrence A. Gambino, Director, Research Institute.

We would like to thank the personnel of the ETL's Scientific and Technical Information Center who helped prepare this bibliography. Mildred Stiger and Dot Murphy helped to clarify and verify the details of many of the citations. Annemarie Black checked and corrected many of the non-English words and verified many of the place names. Their help was invaluable.

COL David F. Maune, EN, was Commander and Director, and Mr. Walter E. Boge was Technical Director of the Engineer Topographic Laboratories during preparation of the report.

Acc	ession For	
DTI(Unar	S GRAAI C TAB C TA	
By_ Dist	ribution/	
Dist	Avail and/or	7
A-1	Special	



A BIBLIOGRAPHY ON THE CHEMICAL WEATHERING OF GRANITIC ROCKS

INTRODUCTION

This bibliography was compiled as a result of discussions at "A Workshop on Desert Processes" in 1984 (McCauley and Rinker, 1987) in which it became clear that the prevalence of chemical weathering in all environments and on "non-soluble" rocks, such as granites, was not widely appreciated. This bibliography attempts to alleviate this situation by providing a list of some of the many papers on this subject. It cannot, however, be considered comprehensive, as the literature is extensive. The listed papers address all aspects of chemical weathering--the processes (for example, Keller and Frederickson, 1952; Ollier, 1984; Williams, 1949), their effects on landforms and materials (for example, Dumanowski, 1968; Thomas, 1974a; Twidale, 1982b), climatic influences (for example, Bakker, 1960; Tardy, et al., 1973; Thomas, 1974b) and weathering products (for example, Dearman, et al., 1978; Lumb, 1962). Papers discussing the controversy concerning chemical vs. physical weathering, as well as the difficulty in separating the two processes, are also included (for example, Ollier, 1984; Palmer and Neilson, 1962). In addition, a number of papers on salt weathering, which may be physical or chemical, are listed (for example, Hay and Jones, 1972; Wellman and Wilson, 1965). Papers referring to the chemical weathering of other igneous rocks (for example, Coleman, 1982; Nossin and Levelt, 1967) or other rocks generally considered "non-soluble" (for example, Frye and Swineford, 1947; White, et al., 1966) are included.

Papers with titles enclosed in () are in a language other than English and have English summaries. Examples include Takenaga (1968), Amaral (1973) and Bouchard (1983). Those with titles in a language other than English are written in another language, but often have English summaries. Demolon and Bastisse (1936) and Bakker (1958) are examples. The listing is in alphabetic order.

- Aartolahti, T. 1975. (On the weathering cavities in the rapakivi granite of Vehmaa, Southwest Finland). Terra, vol. 78, pp. 238-244.
- Ackermann, E. 1962. Bussersteine-Zeugen vorzeitlicher Grundwasserschwankungen. Zeitschrift für Geomorphologie, vol. 6, pp. 148-182.
- Adams, J. A., Campbell A. S. and Cutler, E. J. B. 1975. Some properties of a chrono-toposequence of soils from granite in New Zealand, I. Profile weights and general composition. *Geoderma*, vol. 13, pp. 23-40.
- Aleva, G. J. J. 1956. Chemical and mechanical analysis of a tropically weathered granitic rock. Verhandelung Nederlandsch Geologisch Mijnbouw Genootschap (H.A. Brouwer Volume). Geologisch Serie, vol. 16, pp. 1-11.
- Alexander, F. E. S. 1959. Observations on tropical weathering: a study of the movement of iron, aluminum, and silicon in weathering rocks at Singapore. Quarterly Journal of the Geological Society of London, vol. 115, pp. 123-142.
- Amaral, I. D. 1973. (Forms of inselbergs and superficial and deep weathering on granitic rocks of the Moçamedes desert, Angola, on the right bank of the Rio Curoca). García de Orta: Serie de Geografía, vol. 1, pp. 1-34.
- _____. 1984. (Concerning the landscapes with "inselbergs" (or island mountains) in tropical regions). Livro de homenagem a Orlando Ribeiro, (CEG Lisboa), vol. 1, pp. 367-375.
- Anand, R. R. and Gilkes, R. J. 1984. The retention of elements in mineral pseudomorphs in lateritic saprolite from granite—a weathering budget. *Australian Journal of Soil Research*, vol. 22, pp. 273-282.
- April, R., Newton, R. and Coles, L. T. 1986. Chemical weathering in two Adirondack watersheds: past and present day rates. *Geological Society of America Bulletin*, vol. 97, pp. 1232-1238.
- Augustithis, S. S. and Ottemann, J. 1966. On diffusion rings and sphaeroidal weathering. Chemical Geology, vol. 1, pp. 201-209.
- Badger, A. E. and Ally, A. 1932. Note on the formation of kaolin minerals from feldspar. *Journal of Geology*, vol. 44, pp. 745-747.
- Bain, A. D. N. 1923. The formation of inselbergs. Geological Magazine, vol. 60, pp. 97-101.
- . 1931. Spontaneous rock expansion. Journal of Geology, vol. 39, pp. 715-735.
- Bakker, J. P. 1958. Zur Entstehung von Pingen, Oricangas und Dellen in den feuchten Tropen, mit besonderer Berücksichtigung des Voltzberggebietes (Surinam). Maule-Festschrift. Abhandlungen. Geographisches Institut der Freien Universität Berlin, vol. 5, pp. 1-20.

- Bakker, J. P. 1960. Some observations in connection with recent Dutch investigations about granite weathering and slope development in different climates and climate changes. Zeitschrift für Geomorphologie, Supplement 1, pp. 69-92.
- . 1967. Weathering of granites in different climates. Congrès et Colloques de L'Université de Liège, No. 40, pp. 41-68.
- Balk, R. 1931. Harney Peak granite. Journal of Geology, vol. 39, pp. 736-748.
- Barton, D. C. 1916. Notes on the disintegration of granite in Egypt. *Journal of Geology*, vol. 24, pp. 382-393.
- . 1938. The disintegration and exfoliation of granite in Egypt. *Journal of Geology*, vol. 46, pp. 109-111.
- Bartrum, J. A. 1936. Honeycomb weathering of rocks near the shoreline. New Zealand Journal of Science and Technology, vol. 18, pp. 593-600.
- Baudracco, J. 1977. (Experimental study of rock alterability. Application to a granite rock). Comptes Rendus Hebdomadaires des Séances de l'Académie des Sciences, Paris, Série D, vol. 284, pp. 721-724.
- Baynes, F. J. and Dearman, W. R. 1978. The relationship between the microfabric and the engineering properties of weathered granite. *International Association of Engineering Geology Bulletin*, vol. 18, pp. 191-197.
- Baynes, F. J., Dearman, W. R. and Irfan, T. Y. 1978. Practical assessment of grade in a weathered granite. *International Association of Engineering Geology Bulletin*, vol. 18, pp. 101-109.
- Beaumont, P. 1968. Salt weathering on the margin of the Great Kavir, Iran. Geological Society of America Bulletin, vol. 79, pp. 1683-1684.
- Bech, J., Cardus, J., LaSala, M., Bouleau, A., LaMouroux, M., Quantin, P. and Segalen, P. 1983. (Study of the granite derived soils of Maresma, Catalonia, Spain.) Cahiers ORSTOM-Série Pedologie. vol. 20, pp. 209-221.
- Becker, G. F. and Day, A. L. 1905. The linear force of growing crystals. *Proceedings of the Washington Academy of Science*, vol. 7, pp. 283-288.
- Bergseth, H., Lag, J. and Tungesvik, K. 1980. Smectite formed as a weathering product of granite at Holmsbu, southern Norway. Norsk Geologisk Tidsskrift, vol. 60, pp. 279-281.
- Berner, R. A. and Holdren, G. R., Jr. 1977. Mechanism of feldspar weathering: some observational evidence. *Geology*, vol. 5, pp. 369-372.
- Berry, L. and Ruxton, B. P. 1959. Notes on weathering zones and soils on granite rocks in two tropical regions. *Journal of Soil Science*, vol. 10, pp. 54-63.
- _____. 1959. Basal rock surface on weathered granitic rocks. Proceedings of the Geologist's Association, vol. 70, pp. 285-290.

Berthelin, J. 1971. (Microbial weathering of a granitic sand. Preliminary note). Science du Sol, vol. 1, pp. 11-29.

Berthelin, J. and Dommergues, Y. 1972. {Effect of microbial metabolic products on the solubilization of minerals in a granitic sand}. Revue d'Ecologie et de Biologie du Sol, vol. 9, pp. 397-406.

Besler, H. 1979. (Field experiments on granite weathering and desert patina in the Namib Desert, South West Africa/Namibia). Stuttgarter Geographische Studien, vol. 93, pp. 95-106.

Birot, P. 1954. Désagrégation des roches crystalline sous l'action des sels. Comptes Rendus Hebdomadaires des Séances de l'Académie des Sciences, Paris, Série D, vol. 238, pp. 1145-1146.

. 1966. Observations on the relief of two small granodiorite batholiths on Puerto Rico and on Jamaica. Tijdschrift Koninklizk Nederlandsch Aardrijkskundig Genootschap, vol. 83, pp. 220-226.

Bisdom, E. B. A. 1967a. The role of micro-crack systems in the spheroidal weathering of an intrusive granite in Galicia (NW Spain). Geologie en Mijnbouw, vol. 46, pp. 333-340.

. 1967b. Micromorphology of a weathered granite near the Ria de Arosa (NW Spain). Leidse Geologische Mededelingen, vol. 37, pp. 33-67.

Bjorlykke, K. 1975. Mineralogical and chemical changes during weathering of acid and basic rocks in Uganda. Norsk Geologisk Tidsskrift, vol. 55, pp. 81-90.

Blackwelder, E. 1925. Exfoliation as a phase of rock weathering. *Journal of Geology*, vol. 33, pp. 793-806.

. 1933. The insolation hypothesis of rock weathering. American Journal of Science, vol. 26, pp. 97-113.

Blank, H. R. 1951a. Exfoliation and weathering on granite domes in central Texas. Texas Journal of Science, vol. 3, pp. 376-390.

. 1951b. Rock doughnuts, a product of granite weathering. American Journal of Science, vol. 249, pp. 822-829.

Borkowcka, I. and Czerwinski, J. 1973. On some mineralogical and textural features of granite regoliths in the Karkonosze Massif. Studia Geographica Brno, vol. 33, pp. 43-60.

Borras, J. B., Federoff, N., Quantin, P. and Segalen, P. 1982. (Study of clay-eluviated fersiallitic soils, developed on some sandy products from weathered granite, in the Selva-Catalonia, Spain). Cahiers ORSTOM--Série Pedologie, vol. 19, pp. 233-256.

Bouchard, M. 1983. (Geochemical balance and origin of dissolved elements in a granitic watershed of the Armorican Massif, Brittany). Revue de Géologie Dynamique et de Géographie Physique, vol. 24, pp. 363-379.

Boulet, R. 1972. (Leaching processes in tropical soils developed on granites, Upper Volta, micromorphological study). Cahiers ORSTOM--Série Pedologie, vol. 10, pp. 321-342.

Boye, M. and Fritsch, P. 1973a. (The artificial exhumation of a crystalline dome in South Cameroun). Traveaux et documents de géographie tropicale, Bordeaux, vol. 8, pp. 31-63.

Boye, M. and Seurin, M. 1973b. (The methods of weathering of the Ebaka quarry, South Cameroun). Traveaux et documents de géographie tropicale, Bordeaux, vol. 8, pp. 65-95.

Bradley, W. C., Hutton, J. T. and Twidale, C. R. 1978. Role of salts in development of granitic tafoni, South Australia. *Journal of Geology*, vol. 86, pp. 647-654.

Branner, J. C. 1896. Decomposition of rocks in Brazil. Geological Society of America Bulletin, vol. 7, pp. 255-314.

Brichta, A., Paternoster, K., Scholl, W.U. and Turinsky, F. 1980. Die Gruta do Salitre bei Diamantina, Minas Gerais, Brasilien, kein "Einsturzloch." Zeitschrift für Geomorphologie, vol. 24, pp. 236-242.

Bristow, C. M. 1977. A review of the evidence for the origin of the kaolin deposits in S.W. England. Proceedings of the 8th International Symposium and Meeting on Alunite, Madrid-Rome, No. K-2, 19 p.

Brokaw, A. D. and Smith, L. P. 1916. Zonal weathering of a hornblende gabbro. *Journal of Geology*, vol. 24, pp. 200-206.

Brown, I. C. and Drosoff, M. 1940. Properties of soils and their colloids derived from granitic materials in the Mohave Desert. *Journal of Agricultural Research*, vol. 61, pp. 335-352.

D

D

Bruckner, W. D. 1966. Salt weathering and inselbergs. Nature, vol. 210, p. 832.

Brunner, H. 1969. (Weathering types on the granite gneisses (Peninsular gneiss) of the Eastern Mysore-Plateau, South India). Petermanns Geographische Mitteilungen, vol. 113, pp. 241-248.

Brunsden, D. 1964. The origin of decomposed granite on Dartmoor. In *Dartmoor Essays*, edited by I. G. Simmons, Exeter: Devonshire Association for the Advancement of Science, Literature and Art, pp. 97-116.

Bustin, R. M. and Mathews, W. H. 1979. Selective weathering of granitic clasts. Canadian Journal of Earth Science, vol. 16, pp. 215-223.

Butt, C. R. M. 1985. Granite weathering and silcrete formation on the Yilgarn Block, Western Australia. Australian Journal of Earth Sciences, vol. 32, pp. 415-432.

Calvo, R. M., Garcia-Rodeja, E. and Macias, F. 1983. Mineralogical variability in weathering microsystems of a granitic outcrop of Galicia (Spain). *Catena*, vol. 10, pp. 225-236.

Carroll, D. 1962. Rainwater as a chemical agent in weathering—a review. U.S. Geological Survey Water Supply Irrigation Paper 1535-9, 18 p.

Chapman, R. W. and Greenfield, M. A. 1949. Spheroidal weathering of igneous rocks. *American Journal of Science*, vol. 247, pp. 407-429.

Chesworth, W. and Dejou, J. 1980. Are considerations of mineralogical equilibrium relevant to pedology? Evidence from a weathered granite in central France. Soil Science, vol. 130, pp. 290-292.

Chorley, R. J. 1969. The role of water in rock disintegration. In Water, Earth and Man, edited by R. J. Chorley, London: Metheun, pp. 53-73.

Christofoletti, A. 1972. (Geomorphological questions concerning boulder fields). *Noticia Geomorfologica*, vol. 12, pp. 41-47.

Clayden, B. and Manley, D. J. R. 1964. The soils of the Dartmoor granite. In *Dartmoor Essays*, edited by I. G. Simmons, Exeter: Devonshire Association for the Advancement of Science, Literature and Art, pp. 117-140.

Clayton, J. L., Megahan, W. F. and Delon, H. 1979. Soil and bedrock properties: weathering and alteration products and processes in the Idaho Batholith. U.S. Forest Service Research Paper INT 237, 35 p.

Clayton, R. W. 1956. Linear depressions (Bergfussniederungen) in savannah landscapes. Geographical Studies, vol. 3, pp. 102-126.

Clemency, C. V. 1977. A quantitative geochemical mineralogical and physical study of some selected rock weathering profiles from Brazil. State University of New York at Buffalo, Department of Geological Sciences, final report, 2 April 1973 - 31 December 1976, 127 p.

Coleman, J. M., Gagliano, S. M. and Smith, W. G. 1966. Chemical and physical weathering on saline tidal flats, Northern Queensland, Australia. *Geological Society of America Bulletin*, vol. 77, pp. 205-206.

Coleman, S. M. 1982. Chemical weathering of basalts and andesites: evidence from weathering rinds. U.S. Geological Survey Professional Paper 1246, 51 p.

Collier, D. 1961. (Discussion of the process of alteration of granites under a temperate climate). Annales Agronomie, Paris, vol. 12, pp. 272-332.

Collins, K. 1983. The micromorphology of some weathering features. In *Soil Micromorphology*, vol. 1, edited by P. Bullock and C. P. Murphy, Berkhamsted, England: AB Academic Publishers, pp. 337-345.

Conca, J. L. and Astor, A. M. 1987. Capillary moisture flow and the origin of cavernous weathering in dolerites of Bull Pass, Antarctica. *Geology*, vol. 15, pp. 151-154.

Cooke, R. U. and Smalley, I. J. 1968. Salt weathering in deserts. *Nature*, vol. 220, pp. 1226-1227.

Corbel, J. 1957. L'érosion chimique des granites et silicates sous climats chauds. Revue de Géomorphologie Dynamique, vol. 4, pp. 4-8.

Coude-Gaussen, G. 1980. {Eastern Minho ranges in Portugal: orogenesis, landforms in granite and their weathering}. Revue Géographique des Pyrénées et du Sud-Ouest, vol. 51, pp. 291-313.

. 1981. (The Peneda and Geres Serras, Minho, Portugal: geomorphological study). Memorias--Centro de Estudos Geograficos. Lisboa, vol. 5, 254 p.

Cox, G. W. 1980. Tors, tafoni and tinijas. Environment Southwest, vol. 491, pp. 17-27.

Crickmay, G. W. 1935. Granite pedestal rocks in the southern Appalachian piedmont. *Journal of Geology*, vol. 43, pp. 745-758.

Curry, D. T. 1969. Weathering in joint troughs. Rock Mechanics Symposium, Sydney, pp. 35-36.

. 1977. Deeply weathered rock at Victorian damsites. Engineering Geology, vol. 11, pp. 341-364.

Curtis, C. D. 1976. Chemistry of rock weathering, fundamental reactions and controls. In *Geomorphology and Climate*, edited by E. Derbyshire, London: John Wiley and Sons, pp. 25-57.

Czeppe, Z. 1964. Exfoliation in a periglacial climate. Geographica Polonica, vol. 2, pp. 5-10.

Dearman, W. R. and Baynes, F. J. 1978. A field study of the basic controls of weathering patterns in the Dartmoor granite. *Proceedings of the Ussher Society*, vol. 4, pp. 192-203.

Dearman, W. R., Baynes, F. J. and Irfan, T. Y. 1978. Engineering grading of weathered granite. *Engineering Geology*, vol. 12, pp. 345-374.

Dearman, W. R. and Fookes, P. G. 1972. The influence of weathering on the layout of quarries in south-west England. *Proceedings of the Ussher Society*, vol. 2, pp. 372-387.

Dejou, J. 1959. (A comparative study of processes of alteration in the porphyritic granite of Lormes and cordierite anatexites of the northern Morvan, and in the soil developed therefrom). Annales Agronomie. Paris, vol. 10, pp. 101-123.

Dejou, J., Clement, P. and de Kimpe, C. 1982. (Importance of site in the genesis of secondary minerals resulting from superficial weathering. The example of the granites and gabbros of Mount Megantic, Quebec, Canada). Catena, vol. 9, pp. 181-198.

Demek, J. 1964a. Castle koppies and tors in the Bohemian Highland (Czechoslovakia). Biulteyn Peryglacjalny, vol. 14, pp. 195-216.

. 1964b. Grancdiorite weathering and denudational forms in Novohradske Lory. Zpravy Geografickeho Ustava CSAU, vol. 9, pp. 6-15.

Demolon, A. and Bastisse, E. 1936. Genése des colloides argileux dans l'altération du granite en cases lysimetriques. Comptes Rendus Hebdomadaires des Séances de l'Académie des Sciences, Paris, Série D, vol. 203, p. 736.

. 1946. Observations sur les premiers stades de l'altération spontanée d'un granite et la genèse des colloides argileux. Comptes Rendus Hebdomadaires des Séances de l'Académie des Sciences, Paris, Série D, vol. 223, p. 115.

Derby, O. A. 1896. The decomposition of rocks in Brazil. *Journal of Geology*, vol. 4, pp. 529-540.

Derbyshire, E. 1972. Tors, rock weathering and climate in southern Victoria Land, Antarctica. In *Polar Geomorphology*, edited by R. J. Price and D. E. Sugden, Institute of British Geographers Special Publication No. 4, pp. 93-105.

Dixon, J. C. and Young, R. W. 1981. Character and origin of deep arenaceous weathering mantles on the Bega Batholith, southeastern Australia. Catena, vol. 8, pp. 97-109.

Dodge, T. A. 1947. An example of exfoliation caused by chemical weathering. *Journal of Geology*, vol. 55, pp. 38-42.

Doornkamp, J. C. 1974. Tropical weathering and ultra-microscopic characteristics of regolith quartz on Dartmoor. Geografiska Annaler, vol. 56, pp. 73-82.

Doornkamp, J. C. and Krinsley, D. 1971. Electron microscopy applied to quartz grains from a tropical environment. Sedimentology, vol. 17, pp. 89-101.

Dorn, R. I. and Oberlander, T. M. 1981. Microbial origin of desert varnish. *Science*, vol. 213, pp. 1245-1247.

Dragovich, D. 1969. The origin of cavernous surfaces (tafoni) in granitic rocks of South Australia. Zeitschrift für Geomorphologie, vol. 13, pp. 163-181.

Dumanowski, B. 1968. Influence of petrographical differentiation of granitoids on landforms. *Geographica Polonica*, vol. 14, pp. 93-98.

Durgin, P. B. 1977. Landslides and the weathering of granitic rocks. In *Reviews in Engineering Geology, Volume III: Landslides*, edited by D. R. Coates, Boulder, Colorado: Geological Society of America, pp. 127-131.

Dutreuil, J. P. 1979. (Sequence of growing alteration of granodiorites to oriented leucogranites in the granitoid sands of western Limousin). *Norois*, vol. 16, pp. 235-246.

Duval, L. 1964. (Soils of Kerfeunten-Quimper). Annales Agronomie. Paris, vol. 15, pp. 551-581.

Eden, M. J. 1971. Some aspects of weathering and landforms in Guyana (formerly British Guiana). Zeitschrift für Geomorphologie, vol. 15, pp. 181-198.

Eden, M. J. and Green, C. P. 1971. Some aspects of granite weathering and tor formation on Dartmoor, England. *Geografiska Annaler*, vol. 53, pp. 92-99.

Eggler, D. H. and Larson, E. E. 1967. Relationship of topography to bedrock type: example of the use of geophysical and petrographic methods in geomorphology. Geological Society of America Abstracts with Program, p. 54.

Eggler, D. H., Larson, E. E. and Bradley, W. C. 1969. Granites, grusses and the Sherman Erosion Surface, southern Laramie Range, Colorado-Wyoming. *American Journal of Science*, vol. 267, pp. 510-522.

Eswaren, H. and Wong Chaw Bin. 1978a. A study of a deep weathering profile on granite in peninsular Malaysia, I. Physico-chemical and micromorphological properties. Soil Science Society of America Journal, vol. 42, pp. 144-149.

. 1978b. A study of a deep weathering profile on granite in peninsular Malaysia, II. Mineralogy of the clay, silt and sand fractions. Soil Science Society of America Journal, vol. 42, pp. 149-153.

. 1978c. A study of a deep weathering profile on granite in peninsular Malaysia, III. Alteration of feldspars. Soil Science Society of America Journal, vol. 42, pp. 154-158.

Evans, I. S. 1971. Salt crystallization and rock weathering: a review. Revue de Géomorphologie Dynamique, vol. 19, pp. 153-171.

Fairbridge, R. W. 1977. Note on bornhardt formation--the King-Twidale exchange. Zeitschrift für Geomorphologie, vol. 21, p. 368.

Farmin, R. 1938. Discussion: The disintegration and exfoliation of granite in Egypt. *Journal of Geology*, vol. 46, pp. 892-893.

Federoff, N. and Aurousseau, P. 1981. (Micromorphology of acid brown soils on granitic material). Canadian Journal of Soil Science, vol. 61, pp. 483-496.

Fegelberg, P. 1973. Tor-like weathering forms in South Ostrobothnia, Finland. Studia Geographica Brno, vol. 33, pp. 93-102.

Feininger, T. 1971. Chemical weathering and glacial erosion of crystalline rocks and the origin of till. U.S. Geological Survey Professional Paper 750-C, pp. 65-81.

Fezer, F. E. 1983. (Some remarks on joints, weathering, block development and valley patterns). Zeitschrift für Geomorphologie, vol. 27, pp. 105-110.

Figuerda, H. 1970. (Observations of weathering and morphology of granitic blocks, El Roble Mountain). Revista Geográfica de Valparaiso, vol. 4, pp. 64-68.

FitzPatrick, E. A. 1963. Deeply weathered rock in Scotland, its occurrence, age and contribution to soils. *Journal of Soil Science*, vol. 14, pp. 33-43.

Flageollet, J-C. 1981. (Morphoscopic and exoscopic aspects of quartz in some ferralitic soils of the region of Cechi, Ivory Coast). Cahiers ORSTOM--Série Pedologie, vol. 18, pp. 111-121.

- Fode, D. V. 1979. Aspects of the distribution of copper, zinc, nickel and chromium in the soils over amphibolites and granites in the Loko Hills, Sierra Leone. Annales de la Société Géologique de Belgique, vol. 101, pp. 101-109.
- Folk, R. L. and Patton, E. B. 1982. Buttressed expansion of granite and development of grus in central Texas. Zeitschrift für Geomorphologie, vol. 26, pp. 17-32.
- Fookes, P. G., Dearman, W. R. and Franklin, J. A. 1971. Some engineering aspects of rock weathering with field examples from Dartmoor and elsewhere. *Quarterly Journal of Engineering Geology*, vol. 4, pp. 139-185.
- Franz, H. J. 1969. (Geomorphological effects of granite-weathering in Upper Lusatia). Petermanns Geographische Mitteilungen, vol. 113, pp. 249-254.
- Fritz, B. and Tardy, Y. 1976. (Secondary minerals sequences in the weathering of granites and basic rocks. Thermodynamic models). Bulletin Societe Géologique de France, vol. 18, pp. 7-12.
- Frye, J. C. and Swineford, A. 1947. Solution features on Cretaceous sandstones in central Kansas. *American Journal of Science*, vol. 245, pp. 366-379.
- Garreau, J. 1978. (The Plouaret granite massif, Brittany). Norois, vol. 25, pp. 204-210.
- Gentilli, J. 1949. Rainfall as a factor in the weathering of granite. Proceedings of the International Geographical Congress (Lisbon), pp. 263-269.
- Gessa, G., Grubessi, O., Melis, P. and Premoli, A. 1980. (Alteration of the clay fraction in brown soils derived from granite). *Periodico di Mineralogia*, vol. 49, pp. 271-292.
- Giddens, J., Perkins, H. F. and Carter, R. L. 1960. Soils of Georgia. Soil Science, vol. 89, pp. 229-238.
- Giekie, A. 1880. Rockweathering, as illustrated in Edinburgh churchyards. *Proceedings of the Royal Society of Edinburgh*, vol. 10, pp. 518-532.
- Gilkes, A. S. and Armitage, T. M. 1980. Scanning electron microscope morphology of deeply weathered granite. Clays and Clay Minerals, vol. 28, pp. 29-34.
- Gilkes, R. J., Scholz, G. and Dimmock, G. M. 1973. Lateritic deep weathering of granite. *Journal of Soil Science*, vol. 24, pp. 523-536.
- Gilkes, R. J. and Suddhiprakarn, A. 1979a. Magnetite alteration in deeply weathered adamellite. *Journal of Soil Science*, vol. 30, pp. 357-361.
- . 1979b. Biotite alteration in deeply weathered granite, I. Morphological, mineralogical and chemical properties. Clays and Clay Minerals, vol. 27, pp. 349-360.
- . 1979c. Biotite alteration in deeply weathered granite, II. The oriented growth of secondary minerals. Clays and Clay Minerals, vol. 27, pp. 361-367.

Goldich, S. S. 1938. A study in rock-weathering. Journal of Geology, vol. 46, pp. 17-58.

Goudie, A. 1974. Further experimental investigation of rock weathering by salt and other mechanical processes. Zeitschrift für Geomorphologie, Supplement 21, pp. 1-12.

Grant, W. H. 1963. Weathering of Stone Mountain Granite. In Clays and Clay Minerals, edited by E. Ingerson, 11th National Conference, New York: Pergamon Press, pp. 65-73.

Graustein, W. C. 1979. Comment on "Landscape reduction by weathering in small Rhodesian watersheds." Geology, vol. 7, pp. 515-516.

Green, C. P. and Eden, M. J. 1971. Gibbsite in the weathered Dartmoor granite. *Geoderma*, vol. 6, pp. 315-317.

Grelou-Orsini, C. 1973. (Inter-granular pores as a factor of weakness for some Corsican granites). Bulletin de l'Association de Géographes Français, vol. 408-409, pp. 585-591.

. 1977. (New information on Corsican granite: geology and differential erosion). *Méditerranée*, vol. 28, pp. 35-44.

Grigg, P. V. and Wong, K. M. 1987. Stabilization of boulders at a hillslope site in Hong Kong. Quarterly Journal of Engineering Geology, vol. 20, pp. 5-14.

Griggs, D. T. 1936. The factor of fatigue in rock exfoliation. *Journal of Geology*, vol. 44, pp. 783-796.

Haantjens, H. A. and Bleeker, P. 1970. Tropical weathering in the Territory of Papua and New Guinea. Australian Journal of Soil Research, vol. 8, pp. 157-177.

Harradine, F. and Jenny, H. 1958. Influence of parent material and climate on texture and nitrogen and carbon contents of virgin California soils, I. Texture and nitrogen contents of soils. Soil Science, vol. 85, pp. 235-243.

Harriss, R. C. and Adams, J. A. S. 1966. Geochemical and mineralogical studies on the weathering of granitic rocks. *American Journal of Science*, vol. 264, pp. 146-173.

Hay, R. C. and Jones, B. F. 1972. Weathering of basaltic tephra on the island of Hawaii. Geological Society of America Bulletin, vol. 83, pp. 317-332.

Hayden, J. D. 1945. Salt erosion. American Antiquity, vol. 10, pp. 373-378.

Henin, S. and Robert, M. 1964. (New observations on the disintegration mechanism of granite). Comptes Rendus Hebdomadaires des Séances de l'Académie des Sciences, Paris, Série D, vol. 259, pp. 3577-3580.

Heuze, F. E., Patrick, W. C., Butkovich, T. R., Peterson, J. C., De La Cruz, R. V. and Voss, C. F. 1982. Rock mechanics studies of mining in the Climax granite. *International Journal of Rock Mechanics and Mining Sciences*, vol. 19, pp. 167-183.

Hill, D. E. and Tedrow, J. C. F. 1961. Weathering and soil formation in the arctic environment. *American Journal of Science*, vol. 259, pp. 84-101.

Howat, M. D. 1985. Completely weathered granite--soil or rock. Quarterly Journal of Engineering Geology, vol. 18, pp. 199-206.

Hradek, M. 1972. (Exfoliation and its manifestations on valley sides of streams in regions built of granite (the example of the Novobystricka Vrchovina upland)). Studia Geographica Brno, vol. 25, pp. 163-168.

Hutton, J. T., Lindsay, D. S. and Twidale, C. R. 1977. The weathering of norite at Black Hill, South Australia. *Journal of the Geological Society of Australia*, vol. 24, pp. 37-50.

Iida, T., Yoshioka, R., Matsukura, Y. and Hatta, T. 1986. Development of the weathered zones of granitic rocks due to dissolution. *Transactions of the Japanese Geomorphological Union*, vol. 7, pp. 79-89.

Irfan, T. Y. and Dearman, W. R. 1978. The engineering petrography of a weathered granite in Cornwall, England. Quarterly Journal of Engineering Geology, vol. 11, pp. 233-244.

. 1979a. Micropetrographic and engineering characterization of a weathered granite. Annales de la Société Géologique de Belgique, vol. 101, pp. 71-77.

. 1979b. Characterization of weathering grades in granite using standard tests on aggregates. Annales de la Société Géologique de Belgique, vol. 101, pp. 67-69.

Isherwood, D. and Street, A. 1976. Biotite-induced grussification of the Boulder Creek granodiorite, Boulder County, Colorado. *Geological Society of America Bulletin*, vol. 87, pp. 366-370.

Ivan, A. 1983. (Some problems of morphostructural analysis in granitoids of the Bohemian massif). Geomorfologicka Konference, Praha, 1980 (Univerzita Karlova), pp. 53-59.

Jackson, M. L., Tyler, S. A., Willis, A. L., Bourbeau, G. A. and Pennington, R. P. 1948. Weathering sequence of clay size minerals in soils and sediments. *Journal of Physical and Colloid Chemistry*, vol. 52, pp. 1237-1260.

Jahn, A. 1962. (Origins of granite tors). Czasopismo Geograficzne, vol. 23, pp. 19-44.

James, W. C., Mack, G. H. and Suttner, L. J. 1981. Relative alteration of microcline and sodic plagioclase in semi-arid and humid climates. *Journal of Sedimentary Petrology*, vol. 51, pp. 151-164.

Johnson, A. R. M. 1974. Cavernous weathering at Berowa, N.S.W. Australian Geographer, vol. 12, pp. 531-535.

Kanno, I., Honjo, Y. and Arimura, S. 1957. (Clay minerals of red-yellow soils derived from granitic rocks, 1. Red-yellow soils along the northern coast of the inland sea). *Journal of Science of Soil*, Tokyo, vol. 28, pp. 51-54.

Kanno, I., Honjo, Y. and Tokudome, S. 1957. (Clay minerals of red-yellow soils derived from granitic rocks, 2. Weathered materials of granite from Tamana, Kumamoto). *Journal of Science of Soil*. Tokyo, vol. 28, pp. 55-58.

Kanno, I., Honjo, Y. and Kawano, Y. 1958. (Clay minerals of red-yellow soils derived from granitic rocks, 3. Weathered materials of biotite granite found at the margin of the Tsukushi Plain Fukuoka Prefecture). Journal of Science of Soil, Tokyo, vol. 29, pp. 57-60.

Kastning, E. H. 1976. Granitic karst and pseudokarst, Llano County, Texas, with special reference to Enchanted Rock Cave. 1976 National Speleological Society Annual Convention Proceedings, pp. 43-45.

Keller, W. D. and Frederickson, A. F. 1952. The role of plants and colloidal acids in the mechanism of weathering. *American Journal of Science*, vol. 250, pp. 594-608.

Kelly, W. C. and Zumberge, J. H. 1961. Weathering of a quartz diorite at Marble Point, McMurdo Sound, Antarctica. *Journal of Geology*, vol. 69, pp. 433-446.

Kennan, P. S. 1973. Weathered granite at the Turlough Hill pumped storage scheme, County Wicklow, Ireland. Quarterly Journal of Engineering Geology, vol. 6, pp. 177-180.

Kimaya, K. 1982. Physical, chemical and mineralogical properties of weathering crust of granitic rocks distributed in Antioquia, Columbia. *Journal--Japan Society of Engineering Geology*, vol. 23, pp. 76-82.

Kirkham, V. D. 1931. Igneous geology of S.W. Idaho. *Journal of Geology*, vol. 39, pp. 564-591.

Klaer, W. 1970. (Types of granitic weathering in the totally arid region of the eastern Sahara, Tibesti). Tübinger Geographische Studien, vol. 34, pp. 71-78.

. 1973. (Studies on the climato-genetic geomorphology in the granite of Corsica). Geographische Zeitschrift, Beiheft, vol. 33, pp. 247-260.

Koppi, A. J. 1981. Microanalytic evidence for short range clay coatings on weathered granodiorite. Australian Journal of Soil Research, vol. 19, pp. 251-254.

Koppi, A. J. and Williams, D. J. 1980. Weathering and development of two contrasting soils formed from granodiorite in south-east Queensland. *Australian Journal of Soil Research*, vol. 18, pp. 257-271.

Korsch, R. J. 1982. Mount Duval: geomorphology of a near-surface granite diapir. Zeitschrift für Geomorphologie, vol. 26, pp. 151-162.

Kostrzewski, A. 1973. Granulometry of granite weathering covers from Karkonosze and Tatra Mountains. Studia Geographica Brno, vol. 33, pp. 31-42.

. 1979. The influence of morphological-climatic conditions upon the granulometric features of granite regolith in mountain areas of Europe. Quaestiones Geographicae, vol. 5, pp. 55-86.

Krygowski, B. and Kostrzewski, A. 1971. (Granite weathering material in slope covers and mountain streams (Karkonosze-Sudety) in light of grain abrasion parameters). Badania Fizjograficzne nad Polska Zachodnia. Seria A. Geografia Fizyczna, vol. 24, pp. 179-185.

- Kwaad, F. J. D. M. 1970. Experiments on the granular disintegration of granite by salt action: from field to laboratory. *Universitat Amsterdam Fysisch Geografisch Boden Kundig Laboratorium*, vol. 16, pp. 67-80.
- Laforge, L. 1925. Physical geography of Georgia--the Central Upland. Bulletin of the Georgia Geological Survey, vol. 42, pp. 55-92.
- Lagasquie, J. J. 1974. (Granitic depressions in the eastern Pyrenees). Revue Géographique des Pyrénées et du Sud-Oest, vol. 45, pp. 55-56.
- _____. 1978. {Relationships between differential weathering landforms and structure in some plutonic rocks of the eastern and central Pyrenees}. Revue de Géographie Physique et de Géologie Dynamique, vol. 20, pp. 219-234.
- . 1983. Relief and geomorphological change of the granitoids of the eastern half of the French Pyrenees. *Information Géographique*, vol. 47, pp. 124-125.
- . 1984. (Geomorphology and granitic diapirism. The example of plutons in the eastern half of the Pyrenees). Annales de Géographie, vol. 515, pp. 1-22.
- Lancho, J. G., Camazano, M. S., Alonso, J. S. and Sanchez, Y. A. G. 1976. (Influence of organic matter on the genesis of gibbsite and kaolinite in the granitic soils of central-west Spain). Clay Minerals, vol. 11, pp. 241-250.
- Larsson, I. 1975. (A weathering profile in granite in the Mediterranean area). Svensk Geografisk Arsbok, vol. 51, pp. 100-107.
- Lautensach, H. 1950. Granitische Abtragungsformen auf der Iberischen Halbinsel und Korea. Petermanns Geographische Mitteilungen, vol. 94, pp. 187-196.
- Legrand, H. E. 1952. Solution depressions in diorite in North Carolina. American Journal of Science, vol. 250, pp. 566-585.
- Lelong, F. and Soucher, B. 1970. (Alteration balance in the Vosges soils sequence, from brown acid soils to podzols, on granite). Bulletin du Service de la Carte Géologique d'Alsace et de Lorraine, vol. 23, pp. 113-143.
- Leonard, R. J. 1927. Pedestal rocks resulting from disintegration. *Journal of Geology*, vol. 35, pp. 469-474.
- Leow, K. S. and Ologe, K. O. 1982. Textural variation in a soil catena on granite under a savanna climate northern Nigeria. *Geo-Eco-Trop*, vol. 6, pp. 21-31.
- Lewin, S. Z. and Charola, A. E. 1981. An HF-SEM technique for characterization of the weathering properties of building stones, I. Granite. In *Scanning Electron Microscopy*/1981/1, edited by O. Jahari, Chicago: SEM Inc., AMF O'Hare, pp. 555-561.
- Linton, D. L. 1955. The problem of tors. The Geographical Journal, vol. 121, pp. 470-487.
- Lotti, G. 1961. (The granitic soils of Elba). Agrochimica, vol. 5, pp. 306-320.

- Lumb, P. 1962. The properties of decomposed granite. Geotechnique, vol. 12, pp. 226-243.
- . 1965. The residual soils of Hong Kong. Geotechnique, vol. 15, pp. 180-194.
- . 1982. Engineering properties of fresh and decomposed igneous rocks from Hong Kong. Engineering Geology, vol. 19, pp. 81-94.
- Mabbutt, J. A. 1961a. Basal surface or weathering front. Proceedings of the Geologist's Association, vol. 72, pp. 357-358.
- . 1961b. A stripped land surface in western Australia. Transactions of the Institute of British Geographers, vol. 29, pp. 101-114.
- . 1965. The weathered land surface in central Australia. Zeitschrift für Geomor-phologie, vol. 9, pp. 82-114.
- . 1978. Lessons from pediments. In Landform Evolution in Australasia, edited by J. L. Davies and M. A. J. Williams, Canberra: Australian National University Press, pp. 331-347.
- Marchand, D. E. 1974. Chemical weathering, soil development and geochemical fractionation in a part of the White Mountains, Mono and Inyo Counties, California. U.S. Geological Survey Professional Paper 352-J, pp. 379-424.
- Martini, I. P. 1978. Tafoni weathering with examples from Tuscany, Italy. Zeitschrift für Geomorphologie, vol. 22, pp. 44-67.
- Matsui, T. 1957. (The weathering of red soils in Okierabu-Zima Island, southwestern Japan, 1. Mechanical, chemical and mineralogical characteristics). Journal of Science of Soil. Tokyo, vol. 28, pp. 239-242.
- Matsukura, Y., Maekado, A., Hatta, T. and Yatsu, E. 1983. Vertical changes in mineralogical, physical, chemical and mechanical properties due to deep weathering of Inada granitic rocks. *Transactions of the Japanese Geomorphological Union*, vol. 4, pp. 65-80.
- McCauley, J. F. and Rinker, J. N. 1987. A workshop on desert processes. September 24-28. 1984. Report on the conference. U.S. Geological Survey Circular 989, 21 p. AD-A184599.
- McEwan, M. C., Fessenden, F. W. and Rogers, J. W. 1959. Texture and composition of some weathered granites and slightly transported arkosic sands. *Journal of Sedimentary Petrology*, vol. 29, pp. 477-492.
- McKeague, J. A., Grant, D. R., Kodama, H., Beke, G. J. and Wang, C. 1983. Properties and genesis of a soil and the underlying gibbsite-bearing saprolite, Cape Breton Island, Canada. *Canadian Journal of Earth Sciences*, vol. 20, pp. 37-48.
- Melfi, A. J., Cerri, C. C., Kronberg, B. I., Fyfe, W. S. and McKinnon, B. 1983. Granitic weathering: a Brazilian study. *Journal of Soil Science*, vol. 34, pp. 841-851.
- Merrill, G. P. 1895. Disintegration of granitic rocks of the District of Columbia, Geological Society of America Bulletin, vol. 6, pp. 321-332.

Meunier, A. 1975. (First observations on the evolution of biotites on two weathered granite layers in the south of the Armorican M. ssif, Parthenay region.) Comptes Rendus Hebdomadaires des Séances de l'Académie les Sciences, Paris, Série D, vol. 280, pp. 221-224.

Meunier, A. and Velde, B. 1976. Mineral reactions at grain contacts in early stages of granite weathering. Clay Minerals, vol. 11, pp. 235-240.

_____. 1979. Weathering mineral facies in altered granites: the importance of local small-scale equilibria. *Mineralogical Magazine*, vol. 43, pp. 261-268.

Miche, J. 1984. Redistribution of uranium and thorium isotopes during isovolumetric weathering of granite. Geochimica et Cosmochimica Acta, vol. 48, pp. 1249-1255.

Moeyersons, J. 1977. Joint patterns and their influence on the form of granitic residuals. Zeitschrift für Geomorphologie, vol. 21, pp. 14-25.

Moon, B. P. 1981. A note on landscape evolution on the Johannesburg-Pretoria granite dome. South African Geographer, vol. 9, pp. 41-47.

Moss, J. H. 1977. The formation of pediments: scarp backwearing or surface downwasting? In Geomorphology in Arid Regions, Proceedings of the 8th Binghamton Symposium in Geomorphology, edited by D. O. Doehring, Boston: Allen and Unwin, pp. 51-78.

Nesbitt, H. W. 1979. Mobility and fractionation of rare earth elements during weathering of a granodiorite. *Nature*, vol. 279, pp. 206-210.

Nicod, J. and Taurisson, J. 1970. (Tors and stonefields in the granites of the Plan de la Tour, Var department, southern France). *Méditerranée*, vol. 1, pp. 371-382.

Nossin, J. J. and Levelt, W. M. 1967. Igneous rock weathering on Singapore Island. Zeitschrift für Geomorphologie, vol. 11, pp. 14-35.

Oberlander, T. M. 1972. Morphogenesis of granitic boulder slopes in the Mojave Desert, California. *Journal of Geology*, vol. 80, pp. 1-20.

Ollier, C. D. 1965. Some features of granite weathering in Australia. Zeitschrift für Geomorphologie, vol. 9, pp. 285-304.

	1967.	Spheroidal	weathering,	exfoliation	and	constant	volume	alteration.
Zeitschrift	für Ge	eomor pholog	ie, vol. 11, p	o. 103-108.				

. 1971. Causes of spheroidal weathering. Earth-Science Review, vol. 7, pp. 127-141
--

. 1983. Weathering or hydrothermal alteration? Catena, vol. 10, pp. 57-59.

_____. 1984. Weathering, 2nd edition. London and New York: Longmans, 266 p.

Onodero, T. F., Yoshinaka, R. and Oda, M. 1974. Weathering and its relation to mechanical properties of granite. In *Advances in Rock Mechanics*, Proceedings of the Third International Conference, International Society for Rock Mechanics, vol. 2, pp. 71-78.

Owens, L. B. 1979. Reply to comment on "Landscape reduction by weathering in small Rhodesian watersheds." Geology, vol. 7, pp. 516-517.

Owens, L. B. and Watson, J. P. 1979a. Landscape reduction by weathering in small Rhodesian watersheds. *Geology*, vol. 7, pp. 281-284.

. 1979b. Rates of weathering and soil formation on granite in Rhodesia. Soil Science Society of America Journal, vol. 43, pp. 160-166.

Pain, C. F. and Ollier, C. D. 1981. Geomorphology of a Pliocene granite in Papua New Guinea. Zeitschrift für Geomorphologie, vol. 25, pp. 249-258.

Palmer, J. and Neilson, R. A. 1962. The origin of granite tors on Dartmoor, Devonshire. *Proceedings of the Yorkshire Geological Society*, vol. 33, pp. 315-340.

Paneque, G. and Bellinfante, N. 1964. Mediterranean brown forest soils of the Sierra Morena (Spain), their micromorphology and petrography. In *Soil Micromorphology*, Proceedings of the 2nd International Meeting on Soil Micromorphology (Arnhem), edited by A. Jongerius, Amsterdam: Elsevier Publishing Co., pp. 189-199.

Parfenova, E. I. 1956. (The conversion of biotite into opal in soils of Northern Karelia). Zapiski Vsessiuznogo Mineralogicheskogo Obshchestva, vol. 85, pp. 585-586.

Pedro, G., Seddoh, F. K. and Delmas, A-B. 1974. (On the presence of gibbsite in the granitic sands of temperate areas and the evidence of a "hydrolytic inversion" phenomena). Comptes Rendus Hebdomadaires des Séances de l'Académie des Sciences, Paris, Série D, vol. 179, pp. 1975-1977.

Peeters, L. 1971. (Considerations on the granite relief of Rwanda). Bulletin Société Belge Géologie, Paléontologie. Hydrologie, vol. 80, pp. 3-9.

Penven, M. J. 1980. (Preliminary observations of the weathered granites of Petite Kabylie, Algeria). Méditerranée, vol. 38, pp. 47-58.

Perigaud, A. 1964. (Granite soils of the central Marche region). Bulletin Association Française Etude Sol, nos. 7 and 8, pp. 294-308.

Petty, J. J. 1932. Pedestal rocks of granite in the south Piedmont. Journal Elisha Mitchell Science Society, vol. 158, pp. 119-122.

Powers, L. S., Brueckner, H. K. and Krinsley, D. H. 1979. Rb-Sr provenance ages from weathered and stream transported quartz grains from the Harney Peak granite, Black Hills, South Dakota. *Geochimica et Cosmochimica Acta*, vol. 43, pp. 137-146.

Pye, K. 1986. Mineralogical and textural controls on the weathering of granitoid rocks. *Catena*, vol. 13, pp. 47-57.

Rai, S. R. 1958. Parent rocks and their influence on the formation of soils in the upper Baraker catchment, District Hazaribagh. *Journal of Scientific Research*, Banaras Hindu University, vol. 8, pp. 173-181.

Reed, J. C. 1963. Origin of some intermittent ponds on quartzite ridges in western North Carolina. Geological Society of America Bulletin, vol. 74, pp. 1183-1187.

Reid, J. M., MacLeod, D. A. and Cresser, M. S. 1981. The assessment of chemical weathering rates within an upland catchment in north-east Scotland. *Earth Surface Processes and Landforms*, vol. 6, pp. 447-457.

Rice, C. M. 1973. Chemical weathering on the Carnmenellis granite. *Mineralogical Magazine*, vol. 39, pp. 429-447.

Robert, M. 1971. (Some considerations on the experimental disintegration of granite). Comptes Rendus Hebdomadaires des Séances de l'Académie des Sciences, Paris, Série D, vol. 273, pp. 1012-1014.

Roberts, D. 1968. Occurrences of weathering pits from Soroy, Northern Norway. Geografiska Annaler, vol. 50, pp. 60-63.

Romana, M. and Simic, D. 1983. In-situ deformability vs. weathering of a granite rock in Barcelona (Spain). Proceedings of the 5th Congress, International Society for Rock Mechanics (Melbourne), vol. 1, pp. A93-A99.

Rondeau, R. 1958. Les boules du granite. Zeitschrift für Geomorphologie, vol. 2, pp. 211-229.

Roonwal, G. S. 1979. Weathering of the Dalhousie granite, Himachal Pradesh. *Indian Journal of Earth Sciences*, vol. 6, pp. 82-90.

Roose, E. J. 1979. (Contemporary dynamics of a granite derived gravelly ferralitic soil under cultivation and under bush savannah in northern Ivory Coast). Cahiers ORSTOM--Série Pedologie, vol. 17, pp. 81-118.

Roth, E. S. 1965. Temperature and water content as factors in desert weathering. *Journal of Geology*, vol. 73, pp. 454-468.

Ruddock, E. C. 1967. Residual soils of the Kumasi district in Ghana. Geotechnique, vol. 17, pp. 359-377.

Russell, D. A. 1976a. Particle-size distribution characterization for the coarse fraction of a granite soil, I. A model. Soil Science Society of America Journal, vol. 40, pp. 409-413.

_____. 1976b. Particle-size distribution characterization for the coarse fraction of a granite soil, II. Disintegrating granite. Soil Science Society of America Journal, vol. 40, pp. 414-417.

. 1976c. Particle-size distribution characterization for the coarse fraction of a granite soil, III. The coarse fraction of a granite sand. Soil Science Society of America Journal, vol. 40, pp. 418-421.

Ruxton, B. P. 1958. Weathering and subsurface erosion in granite at the piedmont angle, Balos, Sudan. *Geological Magazine*, vol. 95, pp. 353-377.

- Ruxton, B. P. 1968. Measures of the degree of chemical weathering of rocks. *Journal of Geology*, vol. 76, pp. 518-527.
- Ruxton, B. P. and Berry, L. 1957. Weathering of granite and associated erosional features in Hong Kong. Geological Society of America Bulletin, vol. 68, pp. 1263-1292.
- . 1961. Weathering profiles and geomorphic position on granite in two tropical regions. Revue de Géomorphologie Dynamique, vol. 12, pp. 16-31.
- Saito, M., Nakayama, K. and Higasa, M. 1955. (The physical properties of lithosol soils, especially granitic and andesitic soils). *Technical Bulletin*, Kagawa Agricultural College, vol. 7, pp. 105-111.
- Saito, M. and Manabe, T. 1956. (The weathering products of diorites). *Technical Bulletin*, Kagawa Agricultural College, vol. 7, pp. 168-174.
- Schalscha, E. B., Appelt, H. and Schatz, A. 1967. Chelation as a weathering mechanism, 1. Effect of complexing agents on the solubilization of iron from minerals and granodiorite. *Geochimica et Cosmochimica Acta*, vol. 31, pp. 587-596.
- Scheffer, F., Meyer, B. and Kalk, E. 1963. Biologische Ursachen der Wüstenlackbildung. Zeitschrift für Geomorphologie, vol. 7, pp. 112-119.
- Scott, G. A. J. and Street, J. M. 1976. The role of chemical weathering in the formation of Hawaiian amphitheater-headed valleys. Zeitschrift für Geomorphologie, vol. 20, pp. 171-189.
- Seddoh, F. K. and Pedro, G. 1975. (Microgeochemical aspects of surface weathering. Application to the study of the evolution of minerals in granitic sands). Cahiers ORSTOM-Série Pedologie, vol. 13, pp. 7-26.
- Selby, M. J. 1971. Salt weathering of landforms, and an Antarctic example. Proceedings of the 6th New Zealand Geography Conference, Christchurch, pp. 30-35.
- _____. 1972. Antarctic tors. Zeitschrift für Geomorphologie, Supplement 13, pp. 73-86.
- Selby, M. J. and Wilson, A. T. 1971. The origin of the Labyrinth, Wright Valley, Antarctica. Geological Society of America Bulletin, vol. 82, pp. 471-476.
- Shannon, C. H. C. 1976. Pseudokarst caves in duricrust/granite terrain, Banana Range, central Queensland. *Proceedings of the 10th Biennial Conference (Brisbane)*, Australian Speleological Federation, pp. 20-24.
- Shaw, P. 1980. Cave development on a granite inselberg, south Rupununi Savanna, Guyana. Zeitschrift für Geomorphologie, vol. 22, pp. 68-76.
- Sheppard, S. M. F. 1977. The Cornubian batholith, S.W. England: D/H and ¹⁸O/¹⁶O studies of kaolinite and other alteration minerals. *Journal of the Geological Society of London*, vol. 133, pp. 573-591.

Simpson, D. R. 1964. Exfoliation of the Upper Pocahontas Sandstone, Mercer County, West Virginia. American Journal of Science, vol. 262, pp. 545-551.

L. E' T. S.

Smith, B. J. 1978. The origin and geomorphic implications of cliff-foot recesses and tafoni on limestone hamadas in the north-west Sahara. Zeitschrift für Geomorphologie, vol. 22, pp. 21-43.

Smith, L. L. 1941. Weather pits in granite of the southern piedmont. Journal of Geomorphology, vol. 4, pp. 117-127.

Sokolova, R. A. and Smirnova, G. Y. 1965. (Development of podzolization on granites). *Pochvovedenie*, vol. 6, pp. 41-48.

Spirovsky, J. 1963. (Pedogenesis on the granites of Furka). Zemlja Biljka, vol. 12, pp. 113-116.

Stahnke, C. R., Rogers, J. R. and Allen, B. L. 1969. A genetic and mineralogical study of a soil developed from granitic gneiss in the Texas Central Basin. *Soil Science*, vol. 108, pp. 313-320.

Stephen, I. 1963. Bauxitic weathering at Mount Zomba, Nyasaland. Clay Minerals Bulletin, vol. 5, pp. 203-208.

Takenaga, K. 1968. (Geomorphology of Mt. Suzugamine in Aki Mountains, Hiroshima Prefecture, Japan). Journal of Geography, Tokyo Geographical Society, vol. 77, pp. 37-55.

Tardy, Y., Bocquier, G., Paquet, H. and Millot, G. 1973. Formation of clay from granite and its distribution in relation to climate and topography. *Geoderma*, vol. 10, pp. 271-284.

Ternan, J. L. and Williams, A. G. 1979. Hydrological pathways and granite weathering on Dartmoor. In *Geographical Approaches to Fluvial Processes*, edited by A. F. Pitty, Norwich: Geo Abstracts, pp. 5-30.

Themlitz, R. 1965. (Soils in the landscape of Western Anatolia, especially in the province of Izmir). Landwirtschaftliche Forschung, vol. 18, pp. 46-58.

Thomas, M. F. 1966. Some geomorphological implications of deep weathering patterns in crystalline rocks in Nigeria. *Transactions of the Institute of British Geographers*, vol. 40, pp. 173-193.

. 1974a. Granite landforms: a review of some recurrent problem	s in interpretation.
In Progress in Geomorphology, edited by E. H. Brown and R. S. Waters,	Institute of British
Geographers Special Publication No. 7, pp. 13-35.	

. 1974b. Tropical Geomorphology. A study of weathering and land form development in warm climates. London: Macmillan, 332 p.

1976. Criteria for the recognition of climatically induced variations in granite landforms. In Geomorphology and Climate, edited by E. Derbyshire, London: John Wiley and Sons, pp. 411-445.

Thomas, M. F. 1978. The study of inselbergs. Zeitschrift für Geomorphologie, Supplement 31, pp. 1-41.

Thompson, J. G. 1957. Granite soils in Southern Rhodesia. Rhodesian Agricultural Journal, vol. 54, pp. 121-128.

Thorp, M. B. 1967. The geomorphology of the Younger Granite, Kudaru Hills. Nigerian Geographical Journal, vol. 10, pp. 77-90.

. 1975. Geomorphic evolution in the Liruen Younger Granite Hills, Nigeria. Savanna, vol. 4, pp. 139-154.

Tieh, T. T., Ledger, E. B. and Rowe, M. W. 1980. Release of uranium from granitic rocks during in situ weathering and initial erosion (central Texas). *Chemical Geology*, vol. 29, pp. 227-248.

Torrent, J. and Benayas, J. 1977. Origin of gibbsite in a weathering profile from granite in west-central Spain. *Geoderma*, vol. 19, pp. 37-50.

Trudgill, S. T. 1976. Rock weathering and climate: quantitative and experimental aspects. In *Geomorphology and Climate*, edited by E. Derbyshire, London: John Wiley and Sons, pp. 59-99.

Tschang, H-L. 1961. The pseudokarren and exfoliation forms of granite on Pulau Ubin, Singapore. Zeitschrift für Geomorphologie, vol. 5, pp. 302-312.

. 1962. Some geomorphological observations in the region of Tanpin, south Malaya. Zeitschrift für Geomorphologie, vol. 6, pp. 253-259.

. 1966. Geomorphological observations on weathering forms in Hong Kong and some other humid regions of S.E. Asia. Chung Chi Journal, vol. 5, pp. 206-226.

Twidale, C. R. 1978. Granite platforms and the pediment problem. In *Landform Evolution in Australasia*, edited by J. L. Davies and M. A. J. Williams, Canberra: Australian National University Press, pp. 288-304.

. 1980. The origin of bornhardts. Journal of the Geological Society of Australia, vol. 27, pp. 195-208.

. 1981. Granitic inselbergs: domed, block-strewn and castellated. Geographical Journal, vol. 147, pp. 54-71.

. 1982a. The evolution of bornhardts. American Scientist, vol. 70, pp. 268-276.

_____. 1982b. Granite Landforms. New York: Elsevier, 372 p.

_____. 1982c. (Stepped inselbergs and their significance: the example of Australia).

Annales de Géographie, vol. 508, pp. 657-678.

Twidale, C. R. and Bourne, J. A. 1975a. The subsurface initiation of some minor granite landforms. *Journal of the Geological Society of Australia*, vol. 22, pp. 477-484.

Twidale, C. R. and Bourne, J. A. 1975b. Episodic exposure of inselbergs. Geological Society of America Bulletin, vol. 86, pp. 1473-1481.

of the Geological Society of Australia, vol. 23, pp. 371-381.

. 1976b. Origin and significance of pitting on granitic rocks. Zeitschrift für Geomorphologie, vol. 20, pp. 405-416.

Twidale, C. R. and Sved, G. 1978. Minor granite landforms associated with the release of compressive stress. Australian Geographical Studies, vol. 16, pp. 161-174.

van der Merwe, C. R. and Weber, H. W. 1963. The clay minerals of South African soils developed from granite under different climatic conditions. South African Journal of Agricultural Science, vol. 6, pp. 411-454.

Vazquez, F. M. 1981. Formation of gibbsite in soils and saprolites of temperate humid zones. Clay Minerals, vol. 16, pp. 43-52.

Verague, J. 1973. (Granular disintegration of the granitic rock formation at Athis-de-l'Orme (Lower Normandie)). Centre de Géomorphologie. CNRS Caen. Bulletin, vol. 16, 57 p.

Verheye, W. and Stoops, G. 1975. Nature and evolution of soils developed on the granite complex in the sub-humid tropics (Ivory Coast), II. Micromorphology and mineralogy. *Pedologie*, vol. 25, pp. 40-55.

Vijarnsorn, P. and Fehrenbacher, J.B. 1973. Characteristics and classification of three granite derived soils in peninsular Thailand. *Geoderma*, vol. 9, pp. 105-118.

Votypka, J. 1979. (Geomorphology of the Plechy granite massif in the Sumava Mountains). Acta Universitatis Carolinae, Geographica, vol. 14, pp. 55-83.

Vrana, K. 1981. To the question of origin and stability of secondary minerals in the weathering zone of Male Karpaty Mountains granitoids. *Geologicky Zbornik*, vol. 32, pp. 353-364.

Wagner, M. and Schwartz, W. 1967. (Geomicrobiological investigation, VIII. The behavior of bacteria on the surface of rocks and minerals and their role in weathering). Zeitschrift für Allgemeine Mikrobiologie, vol. 7, pp. 33-52.

Wagner, P. A. 1913. Negative spheroidal weathering and jointing in a granite of southern Rhodesia. Transactions and Proceedings of the Geological Society of South Africa, vol. 15, pp. 155-163.

Wahlstrom, E. E. 1948. Pre-Fountain and recent weathering on Flagstaff Mountain near Boulder, Colorado. Geological Society of America Bulletin, vol. 59, pp. 1173-1190.

Wahrhaftig, C. 1965. Stepped topography of the southern Sierra Nevada, California. Geological Society of America Bulletin, vol. 76, pp. 1165-1189.

Wang, C., Ross, G. J. and Rees, H. W. 1981. Characteristics of residual and colluvial soils developed on granite and on the associated pre-Wisconsin landforms in north-central New Brunswick. Canadian Journal of Earth Sciences, vol. 18, pp. 487-494.

Watson, A. and Pye, K. 1985. Pseudokarstic micro-relief and other weathering features on the Mswati Granite (Swaziland). Zeitschrift für Geomorphologie, vol. 29, pp. 285-300.

Watson, J. P. 1962. Formation of gibbsite as a primary weathering product of acid igneous rocks. *Nature* (London), vol. 196, pp. 1123-1124.

. 1964. A soil catena on granite in Southern Rhodesia, II. Analytical data. Journal of Soil Science, vol. 15, pp. 238-250, 251-257.

. 1965. A soil catena on granite in Southern Rhodesia, III. Clay minerals, IV. Heavy minerals, V. Soil evolution. *Journal of Soil Science*, vol. 16, pp. 158-169.

Watson, T. L. 1902. Granites and gneisses of Georgia. U.S. Geological Survey Bulletin, vol. 9, pp. 282-348.

. 1910. Granites of the S.E. Atlantic states. U.S. Geological Survey Bulletin 426, 287 p.

Watts, S. H. 1985. A scanning electron microscope study of bedrock microfractures in granites under high Arctic conditions. *Earth Surface Processes and Landforms*, vol. 10, pp. 161-172.

Weinert, H. H. 1961. Climate and weathered Karoo dolerites. *Nature* (London), vol. 191, pp. 325-329.

. 1965. Climate factors affecting the weathering of igneous rocks. Agricultural Meteorology, vol. 2, pp. 27-42.

Wellman, H. W. and Wilson, A. T. 1965. Salt weathering, a neglected geological erosive agent in coastal and arid environments. *Nature*, vol. 205, pp. 1097-1098.

West, G. and Dumbleton, J. J. 1970. The mineralogy of tropical weathering illustrated by some west Malaysian soils. Quarterly Journal of Engineering Geology, vol. 3, pp. 25-40.

Whalley, W. B., Douglas, G. R. and McGreevy, P. 1982. Crack propagation and associated weathering in igneous rocks. Zeitschrift für Geomorphologie, vol. 26, pp. 33-53.

Whitaker, C. R. 1978. Pediment form and evolution on granite in the East Kimberleys. In Landform Evolution in Australasia, edited by J. L. Davies and M. A. J. Williams, Canberra: Australian National University Press, pp. 305-330.

White, W. A. 1944. Determining factors in the coloration of granite soils in S.E. Piedmont. *American Journal of Science*, vol. 142, pp. 361-363.

. 1945. Origin of granite domes in the southeastern Piedmont. Journal of Geology, vol. 53, pp. 276-282.

White, W. B., Jefferson, G. L. and Haman, J. F. 1966. Quartzite karst in south-eastern Venezuela. *International Journal of Speleology*, vol. 2, pp. 309-314.

Whitlow, J. R. 1978-79. Bornhardt terrain on granite rock in Zimbabwe: a preliminary assessment. Zambian Geographical Journal, vol. 33-34, pp. 75-94.

Whitten, E. H. T. 1959. Composition trends in a granite: modal variation and ghost stratigraphy in part of the Donegal granite, Eire. *Journal of Geophysical Research*, vol. 64, pp. 835-848.

Wild, A. 1961a. A pedological study of phosphorous in 12 soils derived from granite. Australian Journal of Agricultural Research, vol. 12, pp. 286-299.

. 1961b. Loss of zirconium from 12 soils derived from granite. Australian Journal of Agricultural Research, vol. 12, pp. 300-305.

Wilke, B. M. and Schwertmann, U. 1977. Gibbsite and halloysite decomposition in strongly acid podzolic soils developed from granitic saprolite of the Bayerischer Wald. *Geoderma*, vol. 19, pp. 51-62.

Williams, A. G., Ternan, L. and Kent, M. 1986. Some observations on the chemical weathering of the Dartmoor granite. *Earth Surface Processes and Landforms*, vol. 11, pp. 557-574.

Williams, J. E. 1949. Chemical weathering at low temperatures. *Geographical Review*, vol. 39, pp. 129-135.

Willis, B. 1934. Inselbergs. Annals of the Association of American Geographers, vol. 24, pp. 123-129.

Wilson, A. T. 1979. Geochemical problems of the Antarctic dry areas. *Nature*, vol. 280, pp. 205-208.

Wilson, M. J., Russell, J. D., Tait, J. M., Clark, D. R., Fraser, A. R. and Stephen, I. 1981. A swelling hematite-layer silicate complex in weathered granite. *Clay Minerals*, vol. 16, pp. 261-278.

Winkler, E. M. 1979. Role of salts in development of granitic tafoni, South Australia: discussion. *Journal of Geology*, vol. 87, pp. 119-120.

Wolff, R. G. 1967. Weathering of the Woodstock granite, near Baltimore, Maryland. *American Journal of Science*, vol. 265, pp. 106-117.

Woolnough, W. G. 1930. The influence of climate and topography in the formation and distribution of products of weathering. *Geological Magazine*, vol. 67, pp. 123-132.

Worden, J. M. and Compston, W. 1973. A Rb-Sr isotopic study of weathering in the Mertondale granite, Western Australia. *Geochimica et Cosmochimica Acta*, vol. 37, pp. 2567-2576.

Wright, L. W. 1973. Landforms of the Yavuna granite area, Viti Levu, Fiji: a morphometric study. *Journal of Tropical Geography*, vol. 37, pp. 74-80.

Wunderlich, H. G. 1966. Granitverwitterung an der Rocca Grossa. Neues Jahrbuch für Geologie und Paläontologie Monatshefte, vol. 10, pp. 619-630.

Yamasaki, K., Iidia, C. and Yokoi, H. 1955. A spectrographic determination of the distribution of trace elements in a granodiorite and its weathering products. *Journal of Earth Science*, vol. 3, pp. 58-64.

Young, A. R. M. 1987. Salt as an agent in the development of cavernous weathering. *Geology*, vol. 15, pp. 962-966.

Zeller, W. 1957. (The present tendency of soil formation in relict and recent siliceous soils of north-eastern Spain). Publication of the Institute of Applied Biology, vol. 26, pp. 97-107.